

Technical Data Sheet

Mull DELTA

Basematerial	100% Coton laminated on silk paper		
	Coton $56 \pm 1 \text{ g / m}^2$	warp	tex 16,5 picks 1 cm 20
		weft	tex 16,5 picks 1 cm 13
	Paper 25 g / m^2	silk paper	
	Adhesive $24 \pm 2 \text{ g / m}^2$	water - soluble	
	mother roll width in cm	86,5 non cutted edges	
	mother roll length in m	3 500	

Total Weight	g / m ²	108 $\pm$ 2
---------------------	--------------------	-------------

Thickness	mm	0,21 $\pm$ 0,01
------------------	----	-----------------

Tensile Strength	warp	N / 50 mm	>	550
Tensile Strength	weft	N / 50 mm	>	300

Percentage Elongation at	warp	%	<	7
Percentage Elongation at	weft	%	<	9

DISTRIBUTED by



SENTIS
CZECH REPUBLIC

Phone: +420.311 612 055

F a x : +420.311 516 535

www.sentis.cz
sentis@sentis.cz